


ENDEXT[®] Technology

Wheat Germ Cell-Free Protein Expression System





ENDEXT® Technology Wheat Germ Cell-Free Expression System

Bibliography

Basics

1. Endo, Y.; Sawasaki, T. **2006**. Cell-free expression systems for eukaryotic protein production. *Curr Opin Biotechnol*, 17 (4), 373-380.
2. Sawasaki, T.; Ogasawara, T.; Morishita, R.; Endo, Y. **2002**. A cell-free protein synthesis system for high-throughput proteomics. *Proc Natl Acad Sci USA*, 99, 14652-14657.
3. Madin, K.; Sawasaki, T.; Ogasawara, T.; Endo, Y. **2000**. A highly efficient and robust cell-free protein synthesis system prepared from wheat embryos. *Proc Natl Acad Sci USA*, 97, 559-564.

Proteomics

4. Endo, Y.; Sawasaki, T. **2004**. High-throughput, genome-scale protein production method based on the wheat germ cell-free expression system. *J Struct Funct Genomics*, 5, 45-57.
5. Sawasaki, T.; Hasegawa, Y.; Morishita, R.; Seki, M.; Shinozaki, K.; Endo, Y. **2004**. Genome-scale, biochemical annotation method based on the wheat germ cell-free protein synthesis system. *Phytochemistry*, 65, 1549-1555.

NMR Structural Analysis

6. Vinarov, D.A.; Loushin Newman, C.L.; Markley, J.L. **2006**. Wheat germ cell-free platform for eukaryotic protein production. *FEBS J*, 273, 4160-4169.
7. Vinarov, D.A.; Lytle, B.L.; Peterson, F.C.; Tyler, E.M.; Volkman, B.F.; Markley, J.L. **2004**. Cell-free protein production and labeling protocol for NMR-based structural proteomics. *Nat Methods*, 2, 149-153.

X-ray Crystallography

8. Miyazono, K.; Watanabe, M.; Kosinski, J.; Ishikawa, K.; Kamo, M.; Sawasaki, T.; Nagata, K.; Bujnicki, J.M.; Endo, Y.; Tanokura, M.; Kobayashi, I. **2007**. Novel protein fold discovered in the PabI family of restriction enzymes. *Nucleic Acids Res*, 35, 1908-1918.

Synthesis and Solubilizaion of Membrane Proteins

9. Nozawa, A.; Nanamiya, H.; Miyata, T.; Linka, N.; Endo, Y.; Weber, A.P.; Tozawa, Y. **2007**. A cell-free translation and proteoliposome reconstitution system for functional analysis of plant solute transporters. *Plant Cell Physiol*, 48, 1815-1820.

Disulfide Bond Formation

10. Kawasaki, T.; Gouda, M.D.; Sawasaki, T.; Takai, K.; Endo, Y. **2003**. Efficient synthesis of a disulfide-containing protein through a batch cell-free system from wheat germ. *Eur J Biochem*, 270, 4780-4786.

Malaria Proteins

11. Takafumi Tsuboi, Satoru Takeo, Hideyuki Iriko, Ling Jin, Masateru Tsuchimochi, Shusaku Matsuda, Eun-Taek Han, Hitoshi Otsuki, Osamu Kaneko, Jetsumon Sattabongkot, Rachanee Udomsangpetch, Tatsuya Sawasaki, Motomi Torii, Yaeta Endo **2008**. The Wheat Germ Cell-Free Based Production of Malaria Proteins for Discovery of Novel Vaccine Candidates. *Infect Immun*, 76 (4), 1702-1708.

Monograph

12. Spirin, A.S.; Swartz, J.R. **2007**. Cell-free Protein Synthesis: *Methods and Protocols*. Vch Verlagsgesellschaft Mb.

